

Temperature Rise in a Concrete Mix Due to Hot Cement, by K. Seidel, 6 pp.

GERMAN, per, Zement-Kalk-Gips, Vol VI, No 11, 1953,
pp 413-415.

S.L.A. Tr 638/1955

Sci .. Engineering
Apr 1957 CMS/dex

30,260

Model Considerations on the Conveying and
Heating of the Material in the Rotary Kiln,
by W. Anselm, E. Schwarz-Bergcampf.

GERMAN, per, Zement-Kalk-Gips, No 5,
1954, pp 101-104.

CSIRO

Sci - Engr
May 62

196, 429

The Deterg Kiln-Determination of Dimensions and
Model Similarity, by W. Anseim.

GERMAN, per, Zement-Kalk-Gips, special issue,
Vol V, 1954, pp 127-140.

ASLID-GB39

Sci
Aug 58

70 776

The Role of "Fines" in Portland Cement, by
W. Czernin, 20 pp.

GERMAN, per, Zement-Kalk-Gips, Vol VII, Apr 1954,
pp 160-166.

S.L.A. Tr 115

KBur - Germany
Scientific - Engineering

32,910

The Acid-Resistant Oegat-Concrete, by W. Wittekindt,
13 pp.

GERMANY, per, Zement-Kalk-Gips, Vol VII, Sep 1954,
pp 337-342.

SLA Tr 847/1955

Sci - Engr

50,157

Jul 57

The Shaft Kiln of Tomorrow, by E. Spohn, 14 pp.

GERMAN, per, Zement-Kalk-Gips, Vol VII, Nov 1954,
pp 409-415.

S.L.A. Tr 674/1955

Sci - Engineering
Apr 1957 CMS/dex

50,287

S
Measurement of Consistence of Gypsum Paste and
Gypsum Mortar, by W. Albrecht.

GERMANY, per, Zement-Kalk-Gips, Vol VIII, 1955,
pp 19-23.

ASLIB-GB21

Sci

Aug 59

95, 345

A Method for the Titrimetric Determination of
Silica in Cements, by E. Zyomy, 2 pp.

GERMAN, per, Zement-Kalk-Gips, Vol VIII, No 2,
Feb 1955, p 59.

-
SLA Tr 883/1955

Sci - Min/Met

50,532

Jul 57

New Type of Bearing for Rotary Kilns Without Horizontal Thrust, by K. Milowicz, 10 pp.

GRIGORI, per, Zement-kalk-gips, Vol VIII, No 7,
Jul 1955, pp 240-242.

S.L.A. No 364/1956

Scientific - Engineering

34, 295

A New Type of Feeder, by E. Vogt, F. Grosser, 13 pp.

GERMAN, per, Zement-kalk-Steine, Vol VIII, No 8,
AUG 1955, pp 268-272.

S.L.A. No 405/1956

Scientific & Engineering

34, 269

The Hardening of Various Cementing Agents
EXPERIMENT at Low Temperatures, by A. Fumml., E. Neusch,
7 pp.

GERMAN, per, Zement-kalk-gips, Vol VIII, No 9,
Sep 1955, pp 322-325.

S.L.A. No 337/1956

Scientific - Engineering 34/ 31

The Flow Properties of Non-Newtonian Liquid, by F.
Becker, W. Schremli, 20 pp.

GERMAN, per, Zement-kalk-zips, Vol VIII, No 10,
Oct 1955, pp 345-352.

S.L.A. No 285/1956

Scientific - Chemistry

34, 333

RISSEL, E.

INSDOC-T1532. Experiences with concrete containing
plastic additives. Zement-Kalk-Gips, 10, p.355-361,
1955.

The Manufacture of Soft-Burned Quicklime with Doubled
Soft Kiln Output, by H. Eigen.

GERMAN, per, Zement-Kalk-Gips, Vol VIII, Nov 1955,
pp 381-386.

ASLIB-GB39

Sci

Jul 59

92,589

Burning of Small-Sized Limestone in the
Coke-Fired Shaft Kiln, by H. Eigens.

GERMAN, per, Cement-Kalk-Gips, Vol VIII,
1955, pp 397-400.

DSIRO

Sci - Engr
May 62

1985, 501

Results of a Systematic Series of Investigations on
Dust Emission in Cement Plants, by E. Ruhland,
25 pp.

GERMAN, per, Zement-Kalk-Kreide, Vol IX, No 3,
Mar 1956, pp 103-111.

S.L.A. Tr 1167/1956

W
DE - Germany
Berlin Econ
Sci - Engineering
Oct 56 CIS

40,067

Structural Stresses in Concrete, by B. Henk, UNCL

GERMAN, per, Zement-Kalk-Gips, Vol IX, No 3,
1956, pp 111-120.

DSIR/33084/CR

CSIRO

SEur Germany
Econ; Sci - Engr
Feb 59

81,550

Water Combined in Cement, by R. Hayden. UNCL

GERMAN, pur, Zement, Kalk, Gips, Vol IX, No 3,
1956, pp 120-122.

DPER 33043/cr

Collegy
Sci - Min/Met; Engr
Mar 59

83,228

Colorimetric Determination of Aluminium Iron
and Titanium Cements, by M. Wallraf.
GERMAN, peer, Zement-Kalk-Gips, Vol 9, No 5,
1956, pp 186-194.
HTC-69-12996-07B

Sci-Chem
Sept 69

391,147

Some Physical and Chemical Investigations on the
Burning and Slaking of Lime, by G. Pohl.

GERMAN, per, Zement-Kalk-Gips, Vol IX, Jun 1956,
pp 275-284.

ASLNB-GR39

Sci

Aug 59

94 155

Spectrometric Determination of Al, silicon,
Iron and Titanium in Concrete, by H. Melinat

GERMAN, pax, Zement-Kalk-Gips, Vol IX, No 5
1956, pp 186-194.

NZDIA

Sci-Chem
May 63

234424

One-Fire: Dual Draft Kiln With Stepped Combustion.
By H. E. Lyle.

GERMANY, 1951, Zement-Kalk-Gips, Vol IX, No 6,
1956, pp. 581-586.

NSC 9

Det - 10127
May 62

198, 502

The Burning of Gypsum for Flooring, Plastering
and Building Purposes in the Rotary Kiln, by
R. Zollinger.

GERMAN, per Zement-Kalk-Gips, Vol IX,
1956, pp 319-328.

CSIRO

Sci - Engr
Aug 62

211, 145-

The Influence of the Clay Minerals on Dust
Formation in the Burning of Clinker, by
H. E. Schwiete, 10 pp.
GERMAN, per, Zement-Kalk-Grips, Vol 9, No 8,
1956, pp 351-357.
X-7484

Aug 71

Alkali Phases in Portland Cement. Parts I-III, by
Y. Suzukiwa, 31 pp.

GERMAN, per, Zement-Kalk-Gips, Vol IX, 1956,
pp 345-351; 390-396; 433-436.

US Dept of Commerce
Nat'l Bur of Standards

Sci - Chemistry
Oct 57

53, 954

The Significance of Calorimetric Measurements for the Manufacture and Testing of Plasters, by E. Kipeltauer.

GERMAN, per, Zement-Kalk Gips, Vol IX,
No 11, 1956, pp 501-505.

CSIRO 3662

Soc - Phys

Mar 62

188,362

Bagging Problems: Findings of Tests With
Compacted Material, by H. V. Zander.

GERMAN, per, Zement-Malz-Gips, No 12, 1956,
pp 541-545.

ASLIB-GB39

Sci - Engr

Jun 59

89, 597

A Modern Packing Installation for Compressed
Cement and Hydrated Lime, by W. Frankenberger.

GERMAN, per, Zement-Kalk-Gips, Dec 1956, pp
545-547.

ASLIB-GB39

Sci - Engr

Jun 59

89,400

The Quantitative Determination of Potassium with
Sodium Tetraphenyl Borate, by W. Lieber, 5 pp.

GERMAN, per, Zement-Kalk-Gips, Vol X, No 1, 1957,
pp 61, 62.

SLA 58-658

Sci

Aug 59

95,082

Study of Cement Raw Mixes Suitable for
Pelletizing, by G. Mussgoung, 9 pp.

~~Derivat~~
JAD-per, Zement-Kalk-Gips, Vol X, No 3,
March 1957, pp 95-99.

~~SLA 57-2287~~

SLA 57-2287

Sci

Jul 58

69, 787

Bues, H. THE BURNING OF HIGH-GRADE PORTLAND CEMENT CLINKER IN THE AUTOMATIC SHAFT KILN. [1962] 9p. (figs. refs. omitted). Order from SLA \$1.10	62-18703 1. Title: Clinker 1. Bues, H.	
Summary trans. of <u>Zement-Kalk-Gips</u> (West Germany) 1957 [v. 10] no. 5, p. 187-194.		
DESCRIPTORS: Combustion, *Cements, Production, Materials, Sintering furnaces		

(Materials, TT, v. 9, no. 11)

Office of Technical Services

Some Investigations Concerning Hardening Pressure and Hardening Time in the Sand-Lime Brick Industry, by G. Pohl.

GERMAN, per, Zement-Kalk-Gips, Vol X, No 9,
1957, pp 354-359.

CSIRO 3914

207, 239

HELM-
WEILUR - Germany
Recon
Aug 62

Revolutionary and Peasant Control in Cilean Politics
organized by Gustavo Benegas, 9 pp.

Graz, Jan, Zement-Salk-Giro, Vol. 1, p. 22,
1957, pp. 409-413.

SIA 59-1066

Sci
Jan 60
Vol 2, No 5

107809

Standardisation of Building and Technical
Gypsums, by H. Grimmel.

GERMAN, per, Zement-Kalk-Gips, No 12, 1957,
pp 513-515.

C. S. I. R. O. T4057

SCI
May, 60

115,671

Particle Shape and Particle Size of Dry and Wet-Slaked Hydrates of Lime, by H. V. Zander.

GERMAN, per, Zement-Kalk-Gip, Vol XI, No 2, 1938,
pp 41-45.

C.B. 334/CT 5-20
C.S.I.Ft.O.
CLAIRAT

Sci

May 60

115,763

Schimmel, G. LIME PUTTY UNDER THE ELECTRON MICROSCOPE Jul 61 Order from C. L. A. I. R. A. Laboratories, Church Street, Welwyn, Herts, England £2 CLAIRA T. 6 Trans. of Zement-Kalk-Gips (West Germany) 1958, v. 11, no. 2, p. 40-49.	TT-63-22904 I. Title: Putty I. Schimmel, G. II. CLAIRA-T-6 III. Chalk Lime and Allied Industries Research Association (G. Brit.) DESCRIPTORS: *Calcium compounds, Oxides, Electron microscopes.	(Materials, TT, v. 11, no. 4)
Office of Technical Services		

Some Problems of the Rotary Cement Kiln, by
H. Hagen,

GERMAN, ppr, Zement-Kalk-Gips, Vol XI, pp 56-63,
1958,

Chief Librarian, C.S.I.R.O.
314 Albert Street
East Melbourne, Australia
C. 2, Vic.

Sci
May 60

115,200

Electrical Possibilities for the Strength of
Composition in Closed-Circuit Grinding, by Tetsuo
Tanaka, 5 pp.

GERMAN, Jper, Zement-Kalk-Gips, Vol XI, No 3,
1958, pp 92-94.

SLA 59-15071

Sci.
Dec 59
Vol 2, No 5

104808

Operational Adjustment Of Dish Type Nodulisers,
by H. Klatt.

GERMAN, per, Zement-Kalk-Gips, Vol XI, No 4,
1958, pp 144-154.

CSIRO
SLA 63-16130

Sci. M/M

Oct. 62

Hydraulic Properties of Glasses, by F. Nicl, F.W.
Locher.
GERMAN, ver, Zement-Kalk-Gips, Vol.11, No. 6, 1952,
pp. 245-253
GB/21/2005

Sci -
July 1957

334-447

Manufacture of Calcium Sulphate Hemihydrate by the
Grinding-Burning Method, by W. Lahl, H.E. Schwiete.
GERMAN, per, Zement-Kalk-Gips, 1959, pp 345.
CSR.CO/

Sci -
July 1967

33¹/₄,010

The Preparation of Raw Gypsum and Its Conversion
Into various Hemihydrate Plaster Forms. Parts I
and II, by E. Kipeltauer.

GERMAN, per, Zement-Kalk-Gips, Vol XI, No 6, 1958,
pp 264-272, Vol XIII, No 8, 1959, pp 351-355.

MRCC 171-899

Sci - Chemistry
Jan 61.

137,697

Alfred Dörr's Outstanding Works of German Art
Separation, by Helmut Stahlberg, Berlin, 1956.

GERMAN, papa, Berlin-Kultur-Gips, Vol. XI, No. 1,
1956, pp. 293-304.

IS
SLA 99-5070

Sci
Dec 59
Vol. 2, No. 5

104,807

Discharge Mechanisms ~~for~~ for Shaft Kilns,
by C. Schoneck.

GERMAN, per, Zement-Kalk-Gips, No 8,
1958, pp 345-357.

CSIRO

Sci - Engr
Jul 62

207, 660

Influence of Silicone Impregnation on the
permeability to Air, Water Absorption and Water
Elimination of Sand-lime Bricks, by H. Weissbach,

GERMAN, per, Zement-Kalk-Gips, Vol XI, No 8,
pp 357-364. 775g

C.S.I.R.O. 4254

Sci

A
May 60

115, 156

Electron Microscope Studies of Hardening Cement
Pastes, by W. Czernin, 4 p.

GERMAN, per, Zement-Kalk-Gips, 1958, Vol XI, No 9,
pp 381-383.

SLA 59-20327

Sect.
Mar 60
Vol 2, No 12

109,201

Closed Circuit Grinding of Cement, by G. Beket.
33 pp.

GERMAN, per, Zement-Kalk-Gips, Vol XI, No 12,
1958, pp 529-543.

SLA 59-15693

Sci
Dec 59
Vol 2, No 4

102,681

Czech, R. and Gottschalk, P.
READY MIXED MORTAR IN SCANDINAVIA. Jul 61
Order from C. L. A. I. R. A. Laboratories, Church Street,
Welwyn, Herts, England d10 CLAIRA T.8

Trans. of Zement-Kalk-Gips (West Germany) 1958,
v. II, no. 12, p. 550-562.

DESCRIPTORS: *Mortar, Construction materials.

TT-63-22906

- I. Title: Scandinavia
- II. Czech, R.
- III. Gottschalk, P.
- IV. Chalk Lime and Allied
Industries Research
Association (Gr. Brit.)

(Materials, TT, v. II, no. 4)

Office of Technical Services

Physical Problems in the Testing of Concrete,
by H. Rusch, 21 pp.

GERMAN, per, Zement-Kalk-Gips, Vol XII, No 1,
1958, pp 1-9.

SLA 59-15694

Sci
Dec 59
Vol 2, No 4

102,693

Relationship Between Strength and Granulometric
Composition of Cements, as Based on Statistical
Investigations, by H. Gebelein,
GERMAN, per, Zement-Kalk-Gips, 1959.
CSR Co

Sci - Mat/Met
Jun 64

261,231

Modern Grinding Plants, by A. Bellwinkel, 29 p.

GERMAN, per, Zement-Kalk-Gips, 1959, Vol XII,
No 2, pp 41-55.

SLA 59-17565

Sci
Feb 60
Vol 2, No 10

108898

Nomogram to be Used for Approximate Design
Calculations of Tube Mills, by F. Bernutat, 5 p.

GERMAN, per, Zement-Kalk-Gips, 1959, Vol XII,
No 2, pp 65-67

SLA 59-17564

Sci
Feb 60
Vol 2, No 10

108,879

Improvements in Drilling and Blasting
Techniques, by W. E. Youner.
Geofluid, per, Cement-Mill-Gips, Vol XII,
No 4, 1959, pp 154-156.

CSIRO

175, 782

Set - Repr
Dec 61

Styropor-Concrete, by H. Erick.

GERMAN, per, Zement Kalk, Vol XII, 1959,
pp 253-257.

Language Sv Bu

Sci - Chem

Oct 60

129,656

SLA 10-1966

Testing Corrosion Danger to Steel Reinforcement
Due to Admixtures in Concrete, by H. Knaesche, 12 p.

GERMAN, per, Zement-Kalk-Gips, 1959, Vol XII,
No 7, pp 289-294.

SLA 60-10243

Sci
Apr 60
Vol III, No 3

113, 656

The Effect of Additives on the Corrosion Behavior of
Steel in Concrete, by A. Baumel, 24 p.

GERMAN, per, Zement-Kalk-Gips, Vol XII, No 7,
pp 294-305.

SIA 60-10244

Sci
Apr 60
Vol XII, No 3

111, 993

Suitability of Raw Gypsum for Cement Manufacture,
by E. Bartoesch, 13 pp.

GERMAN, per, Zement-Kalk-Gips, Vol XII, No 8,
1959, pp 362-369.

SLA 60-10992

Bci

(CGR.C61)

ORS, Vol III, No 8

145, 142

Apr 61

A New Method for the Accelerated Testing of the
Strength Development of Portland Cements, by
E. Brandenberger, 14 pp.

GERMAN, per, Zement-Kalk-Gips, Vol XII, No 9,
1959, pp 385-392.

SLA 60-14555

Sci

Apr 61

163,251

OTS, Vol III, No 12

The Reactive Capacity of Blast Furnace
Slags for Sulphated Metallurgical Cement,
by H. Tatemura. UNCL

GRUNAU, per, Zement-Kalk-Gips, Sep 1959,
pp 392-408.

BIBI 1501
D. J. G. (See also L 3346)
(L7 10s.0d.)

Sci - Min/Met

109,469

Feb 60

White Portland Cement Containing Barium Oxide, by
A. Bramiski, T. Ionescu.

GERMAN, per, Zement-Kalk-Gips, Vol XII, No 9,
1959, pp 412-414.

INSDOC/Ref T.4896

Sci-Hngr
Mar 63

225, 251

The Plastic Behaviour of Lime Mortar, by
A. Backman. UNCL

GEIMAI, por, Zement-Kalk-Gips, No 10, 1959,
pp 449-456.

SLA 152-14110
RIAI 1500

(L5 15s.01.)
(CSEIR 0)

See 2 Min/Mat
Feb 60

109,468

Hydration Mechanism of Calcium Oxide and
Plastic Properties of Pastes of Hydrate of
Lime, by J. Wührer, et al.

GERMANY, por, Zement-Kalk-Gips, No 10,
1959, pp 456-465.

CSIRO

191, 727

Sci - Chem, Min/Met

Apr 62

Influence of Heat Transfer on the
Output of the Burning Zone of Lime
Shaft Kilns, by G. Balazsovics,

GERMANY, per, Zement-Kalk-Gips,
No 10, 1959, pp 466-471.

CSIRO

Sci - Min/Met
Jul 62

204, 892

Sampling in the lime industry, by J. H. C. M.
6 pp.

GERMAN, per Zement Kalk Gips, Vol. XII, No. 10,
1959, pp. I 461-484.

SAC 60-24257

Sci.
Jan 62
Vol. XII, No. 10

191, 260

<p>Wieland, W. DETERMINATION OF THE GRAIN SIZE DISTRIBUTION OF POWDERED MATERIALS. Foreign Literature Study No. 308. [1960] 8p. 9 refs. Order from SLA mi\$.80, ph\$.80 Trans. of Zement-Kalk-Gips (West Germany) 1959, v. 12, no. 11, p. 516-519. Some common measurement methods and their interpretations are shown to disguise the true particle size distribution of the products of ball mill grinding and to suppress certain characteristic features.</p>	<p>61-10200</p> <p>1. Particles--Measurement 2. Cements--Analysis 3. Powders--Measurement 4. Title: Granulation I. Wieland, W. II. Title: Foreign ...</p> <p>148, 474</p>	
		Office of Technical Services

Recent Investigations Concerning the
Quality of Limes With Different Degrees
of Burning, by G. Pohl.

GERMAN, per, Zement-Kalk-Gips, No 12,
1959, pp 566-572.

CSIRO

203,349

Sci - Min/Met
Jun 62

Production of Creep-Resistant Hard Gypsum **PL**
Plasters, by E. Eipeltaufer.
GERMAN, per, Zement-Kalk-Gips, 1960.
CSR Co

Sci ~ Mat/Met
Jun 64

261,230

The Rilen-Cenbureau Method for Testing the
Strength of Cement, by R. Dutron. UNCL

GERMANY, per, Zement-Kalk-Gips, No 2, 1960,
pp 64-70.

BIBI 1722

(L3. 10m. 0d.)

LIA 62-16875

Sci - Min/Met
Jun 60

117,245

The Testing the Cement by the Kilon-Cem Method,
by P. Neil, H. Mathieu. UNCL

GERMAN, per, Zement-Kalk-Gips, No 2, 1960,
pp 70-78.

CIA- 62-16171

BIBI 1723

(J4. 10a. Cd.)

Sci - Min/Hart
Jun 60

117,246

Heat Losses of the Rotary Kiln Shell in the Cement
Industry as a Function of Time, by F. Matouschek.
GERMAN, per, Zement-Kalk-Gips, No 3, 1960,
pp 98-100.
CSIRO No 6542

Sci - Engr
Jun 64

261,257

Investigations on Cement and Concrete With Exo-
Electrons After Exposure to X-Rays, by J. Kramer.

GERMAN, per, Zement-Kalk-Gips, No 3, 1960,
pp 111-118.

BISI 1707

SNTA 62-16871

121, 44.2

Sci - Min/Met; Phys

Jul 60

	62-14300
Wührer, J SCIENTIFIC AND PROCESSING PROBLEMS IN THE BURNING OF PORTLAND CEMENT CLINKER FROM QUICKLIME. [1962] 34p. 9 refs. Order from SLA \$3.60	I. Title: Clinker II. Wührer, J
Trans. of Zement-Kalk-Gips (West Germany) 1960, v. 13, no. 5, p.181-192.	62-14300
DESCRIPTORS: *Calcium compounds, Oxides, *Cements, Combustion, Processing.	
(Engineering--Chemical, TT, v. 8, no. 9)	Office of Technical Services

<p>FRANK, G. MODERN PHYSICAL TEST METHODS IN THE LIME AND CEMENT INDUSTRY. Paper presented at Association of German Lime Mfgns., Technik des Zementes [no. 4] Goslar, 11 Oct 59. Foreign literature study no. 310 [1960] 1p. (1 fig. omitted). Order from SLA m\$1.80, ph\$1.80</p> <p>Trans. of Zement-Kalk-Gips (West Germany) 1960, v. 13, no. 6, p. 270-274.</p> <p>X-ray diagrams and the results of counts of samples of lime and cement are discussed. Elements down to atomic number 11 can be determined. Elements with atomic number 11 to 20 have to be determined in the vacuum spectograph, because too much absorption of the radiation occurs in air. (Author)</p> <p>(Materials, TT, v. 5, no. 3)</p>	<p>61-1021</p> <p>I. Cement--Test methods 2. Calcium oxide--Test methods I. Frank, G. II. Title: Association... III. Title: Foreign...</p> <p>142,933</p>	
---	---	--

Automatic Central Grease Lubrication in the
Cement Industry, by G. Schmerson.

GERMAN, per, Zement-Kalk-Cipe, Vol XIII,
No 6, 1960, pp 274-278.

CSIRO

Sci - Engr
Aug 62

211, 144

Investigation of Gypsum and Anhydrite by
Differential Thermal Analysis, by T.
Wiedmann.

GERMAN, per, Zement-Kalk-Gips, Vol XIII,
No 7, 1960, pp 299-301

CSIRO

Sed - Min/Men
Oct 61

171, 304

Bock, H.
NOMOGRAMS FOR DETERMINING OPERATING
DATA FOR LIME KILNS. Jul 61.
Order from C. I. A. L. R. A. Laboratories, Church Street,
Welwyn, Herts, England f5 CLAIRA T. 12

Trans. of Zement-Kalk-Gips (West Germany) 1960,
v. 13, no. 7, p. 302-310.

DESCRIPTORS: *Furnaces, Operation, Nomographs.
*Calcium compounds, Oxides, Cement kilns.

(Materials, TT, v. II, no. 4)

TT-63-22910

I. Bock, H.
II. CLAIRA-T-12
III. Chalk Lime and Allied
Industries Research
Association (G. Brit.)

Office of Technical Services

<p>Lieber, W. and Rieher, K. TESTING OF SULFATE RESISTANCE OF CEMENTS BY CONVENTIONAL RAPID METHODS. German Literature Study no. 307. [1960] [13]p. Urgent SLA m#2.40, pH3.30 61-10204</p> <p>Lehrbuch der Zement-Kalk-Gips (West Germany) 1960, pp. 100-101, 116-117.</p> <p>Tests showed that none of the earlier proposed rapid testing methods can be considered as an all-around method. A suitable method was recently developed by Koch and Schmitzger (Zement-Kalk-Gips 13: 317-324, 1961; available in translation from SLA m#1.80, pH3.30 as 61-10205).</p> <p>(Materials, PT, v. 5, no. 4)</p>	<p>61-10204</p> <p>I. Cement--Chemical reactions II. Sulfates--Chemical effects I. Lieber, W. II. Rieher, K. III. Koch, F. Schmitzger</p> <p>143,204</p> <p>Office of Technical Services</p>	
---	--	--

Koch, A. and Steinberger, H. AN ACCELERATED METHOD FOR TESTING THE SULFATE RESISTANCE OF CEMENTS. Foreign Literature Study no. 306. [1960] 10p. (21 figs. omitted) 6 refs. Order from SLA m\$1.80, ph\$1.80 61-10205 Transl. of Zement-Kalk-Gips (West Germany) 1960, v. 14, no. 7, p. 317-324.	61-10205 1. Cement--Chemical reactions 2. Sulfates--Chemical effects I. Koch, A. II. Steinberger, H. III. Title: Foreign...	143,206
Material No. EP, v. 5, no. 4)	Office of Technical Services	

<p>Fleck, K. WHIRLWIND AIR SEPARATORS (Streu Windsichter). Aug 62. Order from S. Muller, 1614-27 Street, Orlando, Fla. \$46.50 Trans. of Zement-Kalk-Gips (West Germany) 1960 [v. 13] no. 11, p. 501-522.</p> <p>DESCRIPTORS: *Air, Separation, Machines.</p>	<p>62-22390</p> <p>I. Title: Whirlwind separator I. Fleck, K. II. Muller, S., Orlando, Fla.</p> <p>(Machinery, Fabrications and Accessory Equipment, TT, v. 8, no. 8)</p> <p>Office of Technical Services</p>
--	---

Schloemer, H.
THE USE OF X-RAY FLUORESCENCE ANALYSIS IN
CEMENT CHEMISTRY. [1961] 16p. 3 refs.
Order from SLA \$1.60

61-18712

Trans. of Zement-Kalk-Gips (West Germany) 1960,
v. 13, no. 11, p. 522-530.

DESCRIPTORS: *Cements, Fluorescence, Construction,
Materials, *X-ray Spectroscopy, Chemical analysis.

The method and nature of X-ray fluorescence analysis
are described. In connection with the plotting of cali-
bration curves the preliminary treatment of the sam-
ples of material is of importance. The shape of the
calibration curve of two mixtures, viz., $\text{CaCO}_3\text{-MgO}$
and $\text{CaCO}_3\text{-SiO}_2$, and the manner in which the latter is
affected by the third component Al_2O_3 , are discussed.

(Physics--Spectroscopy, TT, v. 6, no. 9) (over)

61-18712

I. Schloemer, H.

185476

Office of Technical Services

<p>Wittekindt, W. SULFATE RESISTANT CEMENTS AND THEIR TEST- ING. [1961] 16p. (1 photo omitted) 40 refs. Order from SLA \$1.60 61-20557</p> <p>Trans. of <u>Zement-Kalk-Gips</u> (West Germany) 1960, v. 13, no. 12, p. 565-572.</p> <p>DESCRIPTORS: *Cements, *Sulfates, Resistance, Materials, Chemical properties, Concrete, Tests.</p> <p>(Materials, TT, v. 7, no. 1)</p>	<p>61-20557</p> <p>I. Wittekindt, W.</p> <p>Office of Technical Services</p>
---	--

<p>Krämer, H. COMPARATIVE MICROSCOPIC INVESTIGATIONS ON CEMENT CLINKERS. [1961] 12p. 11 refs. Order from SLA \$1.60 61-18709</p> <p>Trans. of Zement-Kalk-Gips (West Germany) 1960, v. 13, no. 12, p. 372-379.</p> <p>DESCRIPTORS: *Cements, *Brick, Microanalysis.</p> <p>The microstructure of a clinker is dependent upon the chemical composition and the technical influencing factors. The effect of these factors (which include the preparation of the raw material, the burning conditions and the rate of cooling) on the microstructure of the clinker is described with the aid of a large number of photographs.</p> <p>(Materials, TT, v. 6, no. 9)</p>	<p>61-18709</p> <p>1. Title: Clinker phases 1. Krämer, H.</p> <p>C L F C 3 7</p> <p>Office of Technical Services</p>
---	--

Hilber, H.
STABILITY MEASUREMENTS ON ROTARY KILN SHELLS BY "SHELLTEST". [1963] 25p. (figs. table refs. omitted).
Order from SLA \$2.60

63-18394

Trans. of Zement-Kalk-Gips (West Germany) 1961,
v. 14, no. 1, p. 1-16.

DESCRIPTORS: *Rotary furnaces, *Structural shells, Deformation, *Refractory materials, Stresses, Load distribution, Combustion chamber liners.

With the Swedish "Shektest" instrument in combination with the "Shektest Recorder" it is possible to determine the kiln shell deformation by a measurement technique. The deformation curves permit inferences to be drawn regarding the maximum shell deformations, loading conditions, roller adjustment, and the state of (Machinery-Manufacturing, TT, v. 10, no. 11) (over)

63-18394

1. Title: Shelltest
1. Hilber, H.

Office of Technical Services

Development Trends in the Construction of Cement
Making Plant, by A. Ballwinkel; 40 pp.

GERMAN, per, Cement-Kalk-Gips, Vol XIV, No 2;
1961, pp 41-56.

CSIR 181

Sci
WEur - Germany

171, 630

Econ

Oct 61

Potential Analysis-Lime Standard-Line Error, by E.
Spohn, E. Woermann.
GERMANY, per Zement-Kalk-Gips, Vol. 1st, No. 2, 1961,
pp 56-67
CSIRO/No.7654

Sci -
Sep 1967

339-728

<p>Spohn, E. THE HAUENSHILD REACTION IN THE CEMENT SHAFT KILN. 1 Aug 62 [6]p. (figs. refs. omitted), Order from SLA \$1.10 62-18704</p> <p>Summary trans. of <u>Zement-Kalk-Gips</u> (West Germany) 1961, v. 14, no. 3, p. 105-108.</p> <p>DESCRIPTORS: *Cements, Production, Materials, Sintering furnaces, *Chemical reactions</p> <p>(Materials, TT, v. 9, no. 11)</p>	<p>62-18704</p> <p>1. Title: Havenshild reaction 1. Spohn, E.</p> <p>Office of Technical Services</p>
---	---

<p>Tomek, J. and Vavrin, F. THE PROBLEM OF CORROSION OF STEEL IN CONCRETE BY CALCIUM CHLORIDE. [1961] 10p. 1 ref. Order from SLA \$1.10</p> <p>Trans. of Zement-Kalk-Gips (West Germany) 1961, v. 14, no. 3, p. 108-112.</p> <p>DESCRIPTORS: *Steel, *Corrosion, *Concrete, *Reinforcing steel, *Calcium compounds, Corrosion research, *Chlorides.</p> <p>Investigations showed that calcium chloride acts in the concrete as an electrolyte which intensifies the action of the corrosion elements on the surface of the steel. With the co-operation of oxygen and moisture which penetrate the concrete, a fairly large admixture of calcium chloride especially intensifies the action of (Metallurgy--Corrosion, TT, v. 6, no. 12) (over)</p>	<p>61-18708</p> <p>I. Tomek, J. II. Vavrin, F.</p> <p>Office of Technical Services</p>	
---	--	--

Uchikawa, H. and Takagi, S.
ELECTRON MICROSCOPE STUDIES OF COMPLETELY HYDRATED CLINKER COMPONENTS.
[1962] 7p. (18 figs. omitted) 8 refs.
Order from SLA \$1.10 62-14215

Trans. of Zement-Kalk-Gips (West Germany) 1961,
v. 14, no. 4, p. 153-158.

DESCRIPTORS: *Electron microscopes, *Cements,
Water, Ball mills, Hydrates, Gypsum, Synthesis.

The surface and internal structure of completely hydrated and hardened cement clinker components, and their mixtures with and without gypsum, were investigated by electron-microscopic methods using ultra-microtome sections. The samples were hydrated in a ball mill at 20°C with a water/cement ratio of 0.8. As a result of these experiments the process of hardening and strength development can
(Engineering--Chemical, TT, v. 6, no. 9) (over)

62-14215

1. Title: Clinker
1. Uchikawa, H.
- II. Takagi, S.

Office of Technical Services

Optical Quantitative Phase Determination
in Clinkers and Cements, by H. Kramer.
GERMAN, per Zem.-Kalk-Gips, No. 5, 1961,
pp 207-211
CSIRO/ No. 7926

Sci -
Aug 67

337-364

The Heat Consumption of the Cement Kiln, by A.
Ehnes, 37pp
CHICAGO, per, Zement-Kalk-Gips, Vol 14, 1961,
No 7, pp 297-305
SILV TR-64-30205

Sci - Nat
June 67

327,455

<p>Drosslm, U. METAL WEAR IN TUBE MILLS. [1963] 28p (figs omitted) 12refs Order from SLA \$2.60</p> <p>Trans. of Zement-Kalk-Gips (West Germany) 1961, v. 14, no. 8, p. 325-339.</p> <p>DESCRIPTORS: Wear resistance, *Ball mills, Steel, Hardness, *Cements, Production, *Grinders.</p> <p>Topics include: relation of mill wear to production costs; grinding process in the tube mill; wear of metals used heretofore; tests of highly wear resistant ball charge; evaluation of mill liners; correct evaluation of mill metal loss; and hardness test.</p> <p>(Machinery, Fabrications and Accessory Equipment, TT, v. 10, no. 12)</p>	<p>63-20307</p> <p>1. Title: Tube mills I. Drosslm, U.</p> <p>Office of Technical Services</p>
--	--

Inferences From Stability Measurements on
Rotary Kiln Shells, by H. Hilber, 1961.

GERMAN, per, Zement-Kalk-Gips, Vol L, No 8,
1961, pp 339-346.

CSIRO/No 5814

PLA 62-18393

Sci-Engr
Mar 63

225, 254

<p>Catharin, P. NON-DESTRUCTIVE TESTING OF STANDARD PRISMS AS A DETERMINATION OF COMPRESSIVE STRENGTH, [1962] 35p. 50 refs. Order from SLA \$3.60</p> <p>Trans. of Zement-Kalk-Gips (West Germany) 1961, v. 14, no. 9, p. 370-384.</p> <p>DESCRIPTIONS: *Structural parts, *Prisms, *Concrete, Compressive properties, Determination, *Non- destructive testing, Cements, Hardening,</p> <p>Tests to-date indicate that by means of the derived formulas we can compute the compressive strength from the E- and G- moduli, when cement quality is known. Accuracy can be described as satisfactory, when one bears in mind that considerable differences in compressive strength are recorded on standard prisms (Materials, TT, v. 10, no. 2)</p>	<p>63-10182</p> <p>I. Catharin, P.</p> <p>63-10182</p> <p>Office of Technical Services</p> 
---	---

Verordnung in Sachsen, b) im Standesamt

GERMAN, per, Zement-Kalk-Gips; Vol. XIV,
No. 12, 1981. *Po. 50-4-507*

Schlesien
May 63

NZDIA
NTD-69-12977-072

834.422

Kono, H.
RATE OF COMBUSTION OF FUEL IN THE NODULES
OF THE CEMENT SHAFT KILN. [1963] [31p] 12refs
Order from SLA \$3.60 TT-64-14259

Trans. of Zement-Kalk-Gips (West Germany) 1961,
v. 14, no. 11, p. 507-514. (Abstract available)

DESCRIPTORS: *Pellets, *Cements, Coal, Fuels,
*Combustion, Heat of activation, Reaction kinetics,
Sintering furnaces.

Nodules made from decarbonated cement raw meal, in
which anthracite particles of different sizes had been
embedded, served as the model for the combustion pro-
cess in the cement shaft kiln. Combustion was effected
in flowing air at constant temperatures below the sinter-
ing temperature of the raw meal. The transformation
was measured in terms of the amount of CO₂ evolved
(Materials, TT, v. 11, no. 7) (over)

TT-64-14259

I. Title: Clinker cement
I. Kono, H.

Office of Technical Services

Problem of the Physico-Chemical Behaviour of
Hydrating Cement in Concrete, by W. Grun, H. Grun.
GERMANY, per Zement-Kalk-Gips, Vol. 50, No.11, 1961,
pp 514-520.
CSIRO/No. 6146

Sci -
July 1967

334,005

Hydrothermal Reactions Between Calcium and Siliceous
Materials at 120° - 220°C, by G. O. Assarsson.
GERMAN, per, Zement Kalk Gips, Vol XIV, No 12, 1961,
pp 537-544.

CSR

Sci -- Chem

Feb 64

250,483

Formation of Calcium Silicates and Aluminates
From Calcium Carbonate and Oxides in the
Presence of Foreign Fluxes, by C. Kroger,
G. Fulop, 44pp
GERMAN, per, Zement-Kalk-Gips, Vol 14, 1961,
No 12, pp 545-558
SLA TT-64-30026

Sci - Mat
M II June 67

327,449

Smolczyk, H. G.
X-RAY DETERMINATION OF THE CRYSTALLINE
PHASES OF PORTLAND CEMENT CLINKER. 2 Jan 63,
37p. 27 refs.
Order from SLA \$3.60

63-10746

Trans. of Zement-Kalk-Gips (West Germany) 1961,
v. 14, no. 12, p. 558-566.

DESCRIPTORS: *Cements, *Fused materials,
Quantitative analysis, Phase transitions, *X-ray
diffraction analysis, Coniometers, Crystal structure.

63-10746

1. Title: Clinkers
1. Smolczyk, H. G.

(Materials, TT, v. 9, no. 11)

Office of Technical Services